

Messing-Rundstangen

CuZn39Pb3, CW614N HL ca. 3 m
gezogen, EN 12164

D mm	CuZn39Pb3 CW614N	kg/m
1,5	●	0,015
1,8	●	0,022
2	●	0,031
2,5	●	0,042
3	●	0,063
3,5	●	0,083
3,8	●	0,099
4	●	0,107
5	●	0,167
5,5	●	0,207
6	●	0,241
7	●	0,327
7,5	●	0,385
8	●	0,428
8,5	●	0,495
9	●	0,541
10	●	0,668
11	●	0,809
12	●	0,962
13	●	1,129
14	●	1,310
15	●	1,504
16	●	1,711
17	●	1,932
18	●	2,165
19	●	2,413
20	●	2,673
21	●	2,947

D mm	CuZn39Pb3 CW614N	kg/m
22	●	3,235
23	●	3,536
24	●	3,850
25	●	4,177
26	●	4,518
27	●	4,872
28	●	5,240
29	●	5,621
30	●	6,015
31	○	6,423
32	●	6,844
33	●	7,278
34	●	7,726
35	●	8,187
36	●	8,662
38	●	9,651
40	●	10,693
42	●	11,790
45	●	13,534
46	●	14,142
48	●	15,399
50	●	16,709
52	●	18,072
55	●	20,217
58	○	22,483
60	●	24,060
62	○	25,691

Messing-Rundstangen

CuZn39Pb3, CW614N HL ca. 3 m
gepresst, EN 12167

D mm	CuZn39Pb3 CW614N	kg/m
65	●	28,237
70	●	32,749
75	●	37,594
80	●	42,774
82	○	44,939
85	●	48,288
90	●	54,136
95	●	60,318
100	●	66,834
105	●	73,684
110	●	80,869
115	○	88,388
120	●	96,241

Messing-Flachstangen

CuZn39Pb3, CW614N HL ca. 3 m

B x H mm	CuZn39Pb3 W614N	kg/m
3 x 2	●	0,051
5 x 3	●	0,128
6 x 3	●	0,153
8 x 2	●	0,136
8 x 3	●	0,204
8 x 4	●	0,270
8 x 5	●	0,340
8 x 6	●	0,408
10 x 1,5	●	0,128
10 x 2	●	0,170
10 x 3	●	0,256
10 x 4	●	0,340
10 x 5	●	0,430
10 x 6	●	0,510
10 x 8	●	0,680
12 x 2	●	0,204
12 x 3	●	0,306
12 x 4	●	0,410
12 x 5	●	0,510
12 x 6	●	0,612
12 x 10	●	1,020
13 x 10	●	1,105
15 x 2	●	0,255
15 x 3	●	0,382
15 x 4	●	0,510
15 x 5	●	0,640
15 x 6	●	0,765
15 x 8	●	1,020

Messing-Flachstangen

CuZn39Pb3, CW614N HL ca. 3 m

B x H mm	CuZn39Pb3 CW614N	kg/m
15 x 10	●	1,275
17 x 10	●	1,445
20 x 2	●	0,340
20 x 3	●	0,510
20 x 4	●	0,680
20 x 5	●	0,850
20 x 6	●	1,020
20 x 8	●	1,360
20 x 10	●	1,700
20 x 12	●	2,040
20 x 15	●	2,550
25 x 2	●	0,425
25 x 3	●	0,637
25 x 4	●	0,850
25 x 6	●	1,175
25 x 8	●	1,700
25 x 10	●	2,124
25 x 12	●	2,550
25 x 15	●	3,190
25 x 20	●	4,250
30 x 2	●	0,510
30 x 3	●	0,770
30 x 4	●	1,020
30 x 5	●	1,280
30 x 6	●	1,530
30 x 8	●	2,040
30 x 10	●	2,550
30 x 12	●	3,060

B x H mm	CuZn39Pb3 CW614N	kg/m
30 x 15	●	3,830
30 x 20	●	5,100
30 x 25	●	6,380
35 x 5	●	1,487
35 x 6	●	1,785
35 x 10	●	2,980
35 x 15	●	4,460
35 x 20	●	5,950
40 x 3	●	1,020
40 x 4	●	1,360
40 x 5	●	1,700
40 x 6	●	2,040
40 x 8	●	2,720
40 x 10	●	3,400
40 x 12	●	4,080
40 x 15	●	5,100
40 x 20	●	6,800
40 x 25	●	8,500
40 x 30	●	10,200
45 x 25	●	9,100
45 x 30	●	11,480
50 x 3	●	1,275
50 x 4	●	1,700
50 x 5	●	2,120
50 x 6	●	2,550
50 x 8	●	3,400
50 x 10	●	4,250
50 x 12	●	5,100

B x H mm	CuZn39Pb3 CW614N	kg/m
50 x 15	●	6,380
50 x 20	●	8,500
50 x 25	●	10,63
50 x 30	●	12,760
50 x 40	●	17,000
60 x 4	●	2,040
60 x 5	●	2,550
60 x 6	●	3,060
60 x 8	●	4,080
60 x 10	●	5,100
60 x 15	●	7,650
60 x 20	●	10,200
60 x 25	●	12,750
60 x 30	●	15,300
60 x 40	●	20,400
65 x 20	●	11,050
70 x 5	●	2,975
70 x 10	●	5,950
70 x 15	●	8,930
70 x 20	●	11,900
70 x 25	●	14,900
70 x 30	●	17,850
80 x 5	●	3,400
80 x 6	●	4,080
80 x 8	●	5,440
80 x 10	●	6,800
80 x 15	●	10,200
80 x 20	●	13,600

B x H mm	CuZn39Pb3 CW614N	kg/m
80 x 25	●	17,000
80 x 30	●	20,400
80 x 40	●	27,200
80 x 50	●	34,000
90 x 15	●	11,475
90 x 20	●	15,300

Messing-Vierkantstangen

CuZn39Pb3, CW614N HL ca. 3 m
gezogen, EN 12164

A x A mm	CuZn39Pb3 W614N	kg/m
5 x 5	●	0,212
5,5 x 5,5	●	0,257
6 x 6	●	0,306
7 x 7	●	0,417
8 x 8	●	0,541
9 x 9	●	0,685
10 x 10	●	0,846
12 x 12	●	1,218
14 x 14	●	1,666
15 x 15	●	1,904
16 x 16	●	2,175
18 x 18	●	2,753
20 x 20	●	3,384
22 x 22	○	4,095
25 x 25	●	5,288
27 x 27	○	6,167
30 x 30	●	7,614
35 x 35	●	10,364
40 x 40	●	13,536
45 x 45	●	17,132
50 x 50	●	21,150
55 x 55	●	25,592
60 x 60	●	30,456
70 x 70	●	41,454

Messing-Sechskantstangen

CuZn39Pb3, CW614N HL ca. 3 m
gezogen, EN 12160

SW mm	CuZn39Pb3 W614N	kg/m
4	●	0,117
5	●	0,184
5,5	●	0,225
6	●	0,263
7	●	0,359
8	●	0,468
9	●	0,593
10	●	0,732
11	●	0,885
12	●	1,054
13	●	1,237
14	●	1,434
15	●	1,647
16	●	1,884
17	●	2,115
19	●	2,642
20	●	2,944
21	●	3,109
22	●	3,542
24	●	4,215
27	●	5,335
30	●	6,586
32	●	7,494
38	●	10,630

SW mm	CuZn39Pb3 W614N	kg/m
41	●	12,301
46	○	15,485
50	●	18,295
55	○	22,137
60	●	26,344

Messing-Bleche

CuZn37 w/hh/h / CuZn39Pb2

mm	CuZn37 hh/ CuZn39Pb2	kg/m ²
0,2 x 600 x 2000	●	1,700
0,3 x 600 x 2000	●	2,550
0,5 x 600 x 2000	●	4,250
0,7 x 600 x 2000	●	5,950
0,8 x (600) 1000 x 2000	●	6,800
1,0 x (600) 1000 x 2000	●	8,500
1,2 x 600 x 2000	●	10,200
1,5 x (600) 1000 x 2000	●	13,000
2,0 x (600) 1000 x 2000	●	17,250
2,5 x 600 x 2000	●	21,562
3,0 x (600) 1000 x 2000	●	25,800
4,0 x (600) 1000 x 2000	●	34,400
5,0 x (600) 1000 x 2000	●	43,000
8,0 x 600 x 2000	●	68,800

● Lagervorrat | ○ kurzfristig lieferbar